



FOR THE **ROAD** AHEAD



## ARKOS GEARTEC XL 90

### Gear Oil

ARKOS GEARTEC XL 90 is a high quality gear oil exceeding API GL-4 service designation of American Petroleum Institute and US MIL-L-2105 specifications. ARKOS GEARTEC XL is blended from selective base oils and additives to provide extreme pressure, anti-rust and anti corrosion characteristics to provide protection to gear components against wear and scouring.

### Benefits

- ARKOS GEARTEC XL 90 has very good extreme pressure and anti-wear properties to protect against wear and scouring
- The EP additive prevents gear clashing and provides good load carrying capacity
- Excellent oxidation stability minimises sludge and deposit formations ensuring longer gear and bearing life
- Good Seal compatibility ensures minimum leakage and reduces chances of contamination.
- Longer gearbox life

### Applications

Recommended for manual gear boxes and transaxles requiring oils meeting API GL-4, also for on-road passenger cars, light and heavy-duty trucks, buses and vans. Also recommended for Off-High way equipment in construction, mining and agriculture where similar specification is suggested. The product is recommended for gearbox and differential with hypoid, spiral and worm gear axles requiring extreme pressure gear lubricants.

### Performance Specifications

ARKOS GEARTEC XL 90 meets the requirements of the following specifications:

- API GL-4
- MIL-L-2105



# FOR THE ROAD AHEAD



## Characteristics (Typical Values)

ARKOS GEARTEC XL 90		
TEST PARAMETERS	METHOD	TYPICAL VALUES
Viscosity at 100 °C	mm <sup>2</sup> /s	18
Viscosity Index	-	99
Flash Point COC	°C	246
Pour Point	°C	-12
Density at 29.5°C	gm/cc	0.88

**Note:** Always consult your owner's manual to check for recommended viscosity grade and specifications of oil for your particular vehicle/machine/equipment.



**Disclaimer:** APAR makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility. Website: [www.apar.com](http://www.apar.com)